 Building a Sustainable Ethical Culture	OPS02 – F12 Photo Report		
	Revision: Issue 1		Author: S. Eidecker
	Release date: 3/1/2016		Approved: A Valdevitt

Audit ID:	156-034736-001	Audit date:	2024/10/17
Factory name:	Shaoxing Aibo Arts & Crafts Co., Ltd.		



Factory gate



Factory name




One 3-storey office building




Two 2-storey production buildings (1# and 2#)




Raw materials



Accessories and packing materials

	OPS02 – F12 Photo Report	
	Revision: Issue 1	Author: S. Eidecker
	Release date: 3/1/2016	Approved: A Valdevitt



Raw materials and wood working 1



Raw materials and wood working 2



Gluing




Frame assembling



Carving



Glass cutting

	OPS02 – F12 Photo Report		
	Revision: Issue 1		Author: S. Eidecker
	Release date: 3/1/2016		Approved: A Valdevitt



Glass grinding and glass cleaning



Glass processing



Silk screen printing




Paper manual cutting



Auto cutting



Digital printing

	OPS02 – F12 Photo Report		
	Revision: Issue 1		Author: S. Eidecker
	Release date: 3/1/2016		Approved: A Valdevitt



UV printing



Assembling



Assembling and packing 1




Assembling and packing 2



Assembling and packing 3




Semi-finished products

	OPS02 – F12 Photo Report		
	Revision: Issue 1		Author: S. Eidecker
	Release date: 3/1/2016		Approved: A Valdevitt

	
Semi-finished products and finished products	Finished products

	
Exit signs and emergency lights	Evacuation indicating signs and emergency lights along stairs 1


	
Evacuation indicating signs and emergency lights along stairs 2	Emergency assembly point

	OPS02 – F12 Photo Report		
	Revision: Issue 1		Author: S. Eidecker
	Release date: 3/1/2016		Approved: A Valdevitt

	
Mini fire station	Hanging fire extinguishers


	
Fire-fighting equipment 1	Fire-fighting equipment 2

	
Inside of fire hydrant	Type of fire extinguisher

	OPS02 – F12 Photo Report		
	Revision: Issue 1		Author: S. Eidecker
	Release date: 3/1/2016		Approved: A Valdevitt



Fire extinguishers were in good condition



Evacuation plans



Buttons of fire alarms




Fire alarms



Emergency light testing



Fire hydrant testing

	OPS02 – F12 Photo Report		
	Revision: Issue 1		Author: S. Eidecker
	Release date: 3/1/2016		Approved: A Valdevitt



“NO Smoking” sign



Warning sign on electricity



Warning sign on caution scald at drinking area




Warning sign on machinery operation



Warning signs




Warning sign on wearing personal protective equipment

	OPS02 – F12 Photo Report		
	Revision: Issue 1		Author: S. Eidecker
	Release date: 3/1/2016		Approved: A Valdevitt



The wood working workers were wearing earplugs and dustproof masks during working




The glass processing workers were wearing earplugs and dustproof masks during working



The silk screen printing workers were wearing proper personal protective equipment during working




Printing ink and thinner storage area with warning signs and SDSs



Proper chemical safety labels



Effective eyewash device

	OPS02 – F12 Photo Report		
	Revision: Issue 1		Author: S. Eidecker
	Release date: 3/1/2016		Approved: A Valdevitt



Guidance on first aid & information of 2 first aiders



First aid kits



Gender sign for female toilet




Gender sign for male toilet



Toilets with private doors



Hand washing sinks with toilet paper and liquid soap

	OPS02 – F12 Photo Report		
	Revision: Issue 1		Author: S. Eidecker
	Release date: 3/1/2016		Approved: A Valdevitt




Drinking water



Electric boxes with warning signs




Electric switches with warning signs






Cargo lifts with warning signs




Ventilation system



Operation procedures



	OPS02 – F12 Photo Report		
	Revision: Issue 1		Author: S. Eidecker
	Release date: 3/1/2016		Approved: A Valdevitt




NC-PA7.1-Materials or goods were stored against the pillars 1



NC-PA7.1-Materials or goods were stored against the pillars 2



NC-PA7.1-Materials or goods were stored against the walls




NC-PA7.6-Dustproof masks rather than activated carbon masks



NC-PA7.6-Disposable masks rather than activated carbon masks



NC-PA7.6-No activated carbon mask

	OPS02 – F12 Photo Report		
	Revision: Issue 1		Author: S. Eidecker
	Release date: 3/1/2016		Approved: A Valdevitt



NC-PA7.7-No valid secondary containments



NC-PA7.7-No proper chemical safety labels



NC-PA7.7-No valid secondary containments
and no proper chemical safety labels



NC-PA7.13-The outer protective covers were
not locked and inner protective covers were lost
1



NC-PA7.13-The outer protective covers were
not locked and inner protective covers were lost
2



NC-PA7.17-No pulley guard