

Certificate No.: SAA240903

Certificate Holder: Dong Guan City Bathnology Industrial Co., Ltd

No.178 Xiechang Road,

Xiegang Town, 523592 Dongguan,

Guangdong, P.R. China

Regulatory Definition: Non-Prescribed

Product Description: Fixed general purpose luminaire (LED Mirror)

Standard/s: AS/NZS 60598.2.1:2014 Inc A1-2

AS/NZS 60598.1:2017 Inc A1-2

Condition/s: Nil

Approval Marks: RCM (In accordance with AS/NZS 4417 and EESS requirements)

and

SAA240903

Initial Issue Date: 10 July 2024

Expiry Date: 10 July 2029



For and on Behalf of SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065 and RECS accreditation under the Queensland Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and to verify this Certificate go to:

JAS-ANZ



www.saaapprovals.com.au

www.jas-anz.org/register

Issued: 10-07-24 240903 Page 1 of 51



Model MFC801201DM160	Trade Name Bathnology	Rating/Marking 220-240V ~ 50/60Hz
WI 0001201BW100	Datimology	LED: 60W, Mirror defogger: 70W, Class I, IP44, ta: 25°C
MFA6070S1S6520	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MFA7570S1S6520	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFA9070S1S6530	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFA1270S1S6530	Bathnology	220-240V ~ 50/60Hz LED: 30W, Mirror defogger: 70W, Class I, IP44, ta: 25°C
MFA1570S1S6560	Bathnology	220-240V~ 50/60Hz LED: 60W, Mirror defogger: 70W, Class I, IP44, ta: 25°C
MFA1870S1S6560	Bathnology	220-240V~ 50/60Hz LED: 60W, Mirror defogger: 70W, Class I, IP44, ta: 25°C
MFA6070S1SM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MFA7570S1SM220	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFA9070S1SM230	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C



For and on Behalf of SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065 and RECS accreditation under the Queensland Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.







Model	Trade Name	Rating/Marking
MFA1270S1SM230	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 70W, Class I, IP44, ta: 25°C
MFA1570S1SM260	Bathnology	220-240V~ 50/60Hz LED: 60W, Mirror defogger: 70W, Class I, IP44, ta: 25°C
MFA1870S1SM260	Bathnology	220-240V~ 50/60Hz LED: 60W, Mirror defogger: 70W, Class I, IP44, ta: 25°C
MFA6075D1D6520	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MFA7575D1D6530	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W,
MFA9075D1D6530	Bathnology	Class I, IP44, ta: 25°C 220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFA1275D1D6530	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 70W, Class I, IP44, ta: 25°C
MFA1575S1D6560	Bathnology	220-240V~ 50/60Hz LED: 60W, Mirror defogger: 70W, Class I, IP44, ta: 25°C
MFA1875S1D6560	Bathnology	220-240V~ 50/60Hz LED: 60W, Mirror defogger: 70W, Class I, IP44, ta: 25°C
MFA6070D1DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 22W, Class I, IP44, ta: 25°C



For and on Behalf of SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065 and RECS accreditation under the Queensland Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and to verify this Certificate go to:





Certificate of Suitability

Model	Trade Name	Rating/Marking
MFA7570D1DM230	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFA9070D1DM230	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFA6075D1DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MFA7575D1DM230	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFA9075D1DM230	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W,
MFA1275D1DM230	Bathnology	Class I, IP44, ta: 25°C 220-240V~ 50/60Hz LED: 30W, Mirror defogger: 70W,
MFA1575S1DM260	Bathnology	Class I, IP44, ta: 25°C 220-240V~ 50/60Hz LED: 60W, Mirror defogger: 70W, Class I, IP44, ta: 25°C
MFA1875S1DM260	Bathnology	220-240V~ 50/60Hz LED: 60W, Mirror defogger: 70W, Class I, IP44, ta: 25°C
MFA6060R1D6515	Bathnology	220-240V~ 50/60Hz LED: 15W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MFA7575R1D6520	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 22W, Class I, IP44, ta: 25°C



For and on Behalf of SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065 and RECS accreditation under the Queensland Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and to verify this Certificate go to:

www.saaapprovals.com.au





Model MFA8080R1D6520	Trade Name Bathnology	Rating/Marking 220-240V~ 50/60Hz LED: 20W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MFA9090R1D6520	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFA1010R1D6530	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFA1212R1D6530	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFA6060R1DM215	Bathnology	220-240V~ 50/60Hz LED: 15W, Mirror defogger: 22W,
MFA7575R1DM215	Bathnology	Class I, IP44, ta: 25°C 220-240V~ 50/60Hz LED: 15W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MFA8080R1DM220	Bathnology	220-240V ~ 50/60Hz LED: 20W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MFA9090R1DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFA1010R1DM230	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFA1212R1DM230	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C



For and on Behalf of SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065 and RECS accreditation under the Queensland Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and to verify this Certificate go to:





Certificate of Suitability

Model	Trade Name	Rating/Marking
MFA6060R2DM215	Bathnology	220-240V~ 50/60Hz LED: 15W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MFA7575R2DM215	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MFA8080R2DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MFA9090R2DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFA1010R2DM230	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W,
MFA1212R2DM230	Bathnology	Class I, IP44, ta: 25°C 220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFA4080U1DM215	Bathnology	220-240V~ 50/60Hz LED: 15W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MFA4590U1DM215	Bathnology	220-240V~ 50/60Hz LED: 15W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFA5090U1DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFA5010U1DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C



For and on Behalf of SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065 and RECS accreditation under the Queensland Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and to verify this Certificate go to:





Model MFA6010U1DM220	Trade Name Bathnology	Rating/Marking 220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFA6011U1DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFA4080U1D6515	Bathnology	220-240V~ 50/60Hz LED: 15W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MFA4590U1D6515	Bathnology	220-240V~ 50/60Hz LED: 15W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFA5090U1D6520	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W,
MFA5010U1D6520	Bathnology	Class I, IP44, ta: 25°C 220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFA6010U1D6520	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFA6011U1D6520	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFA4080P1DM215	Bathnology	220-240V~ 50/60Hz LED: 15W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MFA5090P1DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C



For and on Behalf of SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065 and RECS accreditation under the Queensland Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and to verify this Certificate go to:





www.saaapprovals.com.au

www.jas-anz.org/register

Issued: 10-07-24 240903

Page 7 of 51



Model	Trade Name	Rating/Marking
MFA6080P1DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFA6010P1DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFA6012P1DM230	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFA4080P1D6515	Bathnology	220-240V ~ 50/60Hz LED: 15W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MFA5090P1D6520	Bathnology	220-240V ~ 50/60Hz LED: 20W, Mirror defogger: 35W,
MFA6080P1D6520	Bathnology	Class I, IP44, ta: 25°C 220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W,
MFA6010P1D6520	Bathnology	Class I, IP44, ta: 25°C 220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFA6012P1D6530	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFA6060H2DM215	Bathnology	220-240V~ 50/60Hz LED: 15W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MFA7575H2DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 22W, Class I, IP44, ta: 25°C



For and on Behalf of SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065 and RECS accreditation under the Queensland Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.







Certificate of Suitability

Model MFA9090H2DM220	Trade Name Bathnology	Rating/Marking 220-240V~ 50/60Hz
MFA6060H1D6515	Bathnology	LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C 220-240V~ 50/60Hz LED: 15W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MFA7575H1D6520	Bathnology	Class I, IP44, ta: 25°C 220-240V~ 50/60Hz LED: 20W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MFA9090H1D6520	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFC6070S1S6520	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 22W,
MFC7570S1S6530	Bathnology	Class I, IP44, ta: 25°C 220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFC9070S1S6530	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFC1270S1S6530	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 70W, Class I, IP44, ta: 25°C
MFC1570S1S6560	Bathnology	220-240V~ 50/60Hz LED: 60W, Mirror defogger: 70W, Class I, IP44, ta: 25°C
MFC1870S1S6560	Bathnology	220-240V ~ 50/60Hz LED: 60W, Mirror defogger: 70W, Class I, IP44, ta: 25°C



For and on Behalf of SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065 and RECS accreditation under the Queensland Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and to verify this Certificate go to:





A P P R O V A L S $^{\circ}$

Certificate of Suitability

Model	Trade Name	Rating/Marking
MFC6070S3SM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MFC7570S3SM230	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFC9070S3SM230	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFC1270S3SM230	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 70W, Class I, IP44, ta: 25°C
MFC1570S3SM260	Bathnology	220-240V~ 50/60Hz LED: 60W, Mirror defogger: 70W,
MFC1870S3SM260	Bathnology	Class I, IP44, ta: 25°C 220-240V~ 50/60Hz LED: 60W, Mirror defogger: 70W, Class I, IP44, ta: 25°C
MFC6070S3DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MFC7570S3DM230	Bathnology	220-240V ~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFC9070S3DM230	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFC1270S3DM230	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 70W, Class I, IP44, ta: 25°C



For and on Behalf of SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065 and RECS accreditation under the Queensland Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and to verify this Certificate go to:





Certificate of Suitability

Model MFC1570S3DM260	Trade Name Bathnology	Rating/Marking 220-240V~ 50/60Hz LED: 60W, Mirror defogger: 70W, Class I, IP44, ta: 25°C
MFC1870S3DM260	Bathnology	220-240V ~ 50/60Hz LED: 60W, Mirror defogger: 70W, Class I, IP44, ta: 25°C
MFC6060R1D6515	Bathnology	220-240V~ 50/60Hz LED: 15W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MFC7575R1D6520	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MFC8080R1D6520	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 22W,
MFC9090R1D6530	Bathnology	Class I, IP44, ta: 25°C 220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFC1010R1D6530	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFC1212R1D6530	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFC6060R1DM215	Bathnology	220-240V~ 50/60Hz LED: 15W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MFC7575R1DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 22W, Class I, IP44, ta: 25°C



For and on Behalf of SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065 and RECS accreditation under the Queensland Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.







Certificate of Suitability

Model MFC8080R1DM220	Trade Name Bathnology	Rating/Marking 220-240V~ 50/60Hz LED: 20W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MFC9090R1DM230	Bathnology	220-240V ~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFC1010R1DM230	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFC1212R1DM230	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFC6060R3DM215	Bathnology	220-240V~ 50/60Hz LED: 15W, Mirror defogger: 22W,
MFC7575R3DM220	Bathnology	Class I, IP44, ta: 25°C 220-240V~ 50/60Hz LED: 20W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MFC8080R3DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MFC9090R3DM230	Bathnology	220-240V ~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFC1010R3DM230	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFC1212R3DM230	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C



For and on Behalf of SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065 and RECS accreditation under the Queensland Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.







Certificate of Suitability

Model	Trade Name	Rating/Marking
MFC4080U1DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MFC4590U1DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFC5090U1DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFC5010U1DM230	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFC6010U1DM230	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W,
MFC6011U1DM230	Bathnology	Class I, IP44, ta: 25°C 220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFC4080U3DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MFC4590U3DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFC5090U3DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFC5010U3DM230	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C



For and on Behalf of SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065 and RECS accreditation under the Queensland Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.







Model MFC6010U3DM230	Trade Name Bathnology	Rating/Marking 220-240V~ 50/60Hz
MFC6011U3DM230	Bathnology	LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C 220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W,
MFC4080P1DM220	Bathnology	Class I, IP44, ta: 25°C 220-240V~ 50/60Hz LED: 20W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MFC5090P1DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFC6080P1DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W,
MFC6010P1DM230	Bathnology	Class I, IP44, ta: 25°C 220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFC6012P1DM230	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFC4080P3DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MFC5090P3DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFC6080P3DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C



For and on Behalf of SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065 and RECS accreditation under the Queensland Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and to verify this Certificate go to:





Certificate of Suitability

Model	Trade Name	Rating/Marking
MFC6010P3DM230	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFC6012P3DM230	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFM6070S1S6520	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MFM7570S1S6520	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFM9070S1S6530	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W,
MFM1270S1S6530	Bathnology	Class I, IP44, ta: 25°C 220-240V~ 50/60Hz LED: 30W, Mirror defogger: 70W,
MFM1570S1S6560	Bathnology	Class I, IP44, ta: 25°C 220-240V~ 50/60Hz LED: 60W, Mirror defogger: 70W, Class I, IP44, ta: 25°C
MFM1870S1S6560	Bathnology	220-240V~ 50/60Hz LED: 60W, Mirror defogger: 70W, Class I, IP44, ta: 25°C
MFM6070S1SM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MFM7570S1SM220	Bathnology	220-240V ~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C



For and on Behalf of SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065 and RECS accreditation under the Queensland Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.







Certificate of Suitability

Model MFM9070S1SM230	Trade Name Bathnology	Rating/Marking 220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W,
MFM1270S1SM230	Bathnology	Class I, IP44, ta: 25°C 220-240V~ 50/60Hz LED: 30W, Mirror defogger: 70W, Class I, IP44, ta: 25°C
MFM1570S1SM260	Bathnology	220-240V~ 50/60Hz LED: 60W, Mirror defogger: 70W, Class I, IP44, ta: 25°C
MFM1870S1SM260	Bathnology	220-240V~ 50/60Hz LED: 60W, Mirror defogger: 70W, Class I, IP44, ta: 25°C
MFM6070D2SM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 22W,
MFM7570D2SM220	Bathnology	Class I, IP44, ta: 25°C 220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFM9070D2SM230	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFM1270D2SM230	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 70W, Class I, IP44, ta: 25°C
MFM1570D2SM260	Bathnology	220-240V~ 50/60Hz LED: 60W, Mirror defogger: 70W, Class I, IP44, ta: 25°C
MFM1870D2SM260	Bathnology	220-240V~ 50/60Hz LED: 60W, Mirror defogger: 70W, Class I, IP44, ta: 25°C



For and on Behalf of SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065 and RECS accreditation under the Queensland Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and to verify this Certificate go to:





Certificate of Suitability

Model	Trade Name	Rating/Marking
MFM6060R1D6515	Bathnology	220-240V~ 50/60Hz LED: 15W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MFM7575R1D6515	Bathnology	220-240V~ 50/60Hz LED: 15W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MFM8080R1D6520	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MFM9090R1D6520	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFM1010R1D6530	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W,
MFM1212R1D6530	Bathnology	Class I, IP44, ta: 25°C 220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFM6060R1DM215	Bathnology	220-240V~ 50/60Hz LED: 15W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MFM7575R1DM215	Bathnology	220-240V~ 50/60Hz LED: 15W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MFM8080R1DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MFM9090R1DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C



For and on Behalf of SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065 and RECS accreditation under the Queensland Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and to verify this Certificate go to:





Certificate of Suitability

Model	Trade Name	Rating/Marking
MFM1010R1DM230	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFM1212R1DM230	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFM4080U1DM215	Bathnology	220-240V~ 50/60Hz LED: 15W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MFM4590U1DM215	Bathnology	220-240V~ 50/60Hz LED: 15W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFM5090U1DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W,
MFM5010U1DM220	Bathnology	Class I, IP44, ta: 25°C 220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFM6010U1DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFM6011U1DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFM4080P1DM215	Bathnology	220-240V~ 50/60Hz LED: 15W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MFM5090P1DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C



For and on Behalf of SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065 and RECS accreditation under the Queensland Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and to verify this Certificate go to:





Certificate of Suitability

Model	Trade Name	Rating/Marking 220-240V ~ 50/60Hz
MFM6080P1DM220	Bathnology	LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFM6010P1DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFM6012P1DM230	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFM6080H1DM215	Bathnology	220-240V~ 50/60Hz LED: 15W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MFM7080H1DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W,
MFS6070S1S6520	Bathnology	Class I, IP44, ta: 25°C 220-240V~ 50/60Hz LED: 20W, Mirror defogger: 22W,
MFS7570S1S6530	Bathnology	Class I, IP44, ta: 25°C 220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFS9070S1S6530	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFS1270S1S6530	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 70W, Class I, IP44, ta: 25°C
MFS1570S1S6560	Bathnology	220-240V~ 50/60Hz LED: 60W, Mirror defogger: 70W, Class I, IP44, ta: 25°C



For and on Behalf of SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065 and RECS accreditation under the Queensland Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and to verify this Certificate go to:





Certificate of Suitability

Model	Trade Name	Rating/Marking
MFS1870S1S6560	Bathnology	220-240V~ 50/60Hz LED: 60W, Mirror defogger: 70W, Class I, IP44, ta: 25°C
MFS6070S3SM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MFS7570S3SM230	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFS9070S3SM230	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFS1270S3SM230	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 70W,
MFS1570S3SM260	Bathnology	Class I, IP44, ta: 25°C 220-240V~ 50/60Hz LED: 60W, Mirror defogger: 70W, Class I, IP44, ta: 25°C
MFS1870S3SM260	Bathnology	220-240V~ 50/60Hz LED: 60W, Mirror defogger: 70W, Class I, IP44, ta: 25°C
MFS6070S1DM220	Bathnology	220-240V~ 50/60Hz LED: 15W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MFS7570S1DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFS9070S1DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C



For and on Behalf of SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065 and RECS accreditation under the Queensland Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and to verify this Certificate go to:





Certificate of Suitability

Model	Trade Name	Rating/Marking
MFS1270S1DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 70W, Class I, IP44, ta: 25°C
MFS1570S1DM230	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 70W, Class I, IP44, ta: 25°C
MFS1870S1DM230	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 70W, Class I, IP44, ta: 25°C
MFV6070D1D6520	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MFV7570D1D6520	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W,
MFV9070D1D6530	Bathnology	Class I, IP44, ta: 25°C 220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFV1270D1D6530	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 70W, Class I, IP44, ta: 25°C
MFV1570D1D6560	Bathnology	220-240V~ 50/60Hz LED: 60W, Mirror defogger: 70W, Class I, IP44, ta: 25°C
MFV1870D1D6560	Bathnology	220-240V~ 50/60Hz LED: 60W, Mirror defogger: 70W, Class I, IP44, ta: 25°C
MFV6070D4D6520	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 22W, Class I, IP44, ta: 25°C



For and on Behalf of SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065 and RECS accreditation under the Queensland Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and to verify this Certificate go to:





Certificate of Suitability

Model MFV7570D4D6520	Trade Name Bathnology	Rating/Marking 220-240V~ 50/60Hz
WII V7370D4D0320	Battillology	LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFV9070D4D6530	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFV1270D4D6530	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 70W, Class I, IP44, ta: 25°C
MFV1570D4D6560	Bathnology	220-240V~ 50/60Hz LED: 60W, Mirror defogger: 70W, Class I, IP44, ta: 25°C
MFV1870D4D6560	Bathnology	220-240V~ 50/60Hz LED: 60W, Mirror defogger: 70W,
MFV6060R1D6515	Bathnology	Class I, IP44, ta: 25°C 220-240V~ 50/60Hz LED: 15W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MFV7575R1D6520	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MFV8080R1D6520	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MFV9090R1D6530	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFV1010R1D6530	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C



For and on Behalf of SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065 and RECS accreditation under the Queensland Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and to verify this Certificate go to:





Model MFV1212R1D6530	Trade Name Bathnology	Rating/Marking 220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFV6060R1DM215	Bathnology	220-240V ~ 50/60Hz LED: 15W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MFV7575R1DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MFV8080R1DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MFV9090R1DM230	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W,
MFV1010R1DM230	Bathnology	Class I, IP44, ta: 25°C 220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFV1212R1DM230	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFV4080U1DM215	Bathnology	220-240V ~ 50/60Hz LED: 15W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MFV4590U1DM215	Bathnology	220-240V~ 50/60Hz LED: 15W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFV5090U1DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C



For and on Behalf of SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065 and RECS accreditation under the Queensland Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.







Model	Trade Name	Rating/Marking
MFV5010U1DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFV6010U1DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFV6011U1DM220	Bathnology	220-240V ~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFQ6070D1D6520	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MFQ7570D1D6520	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W,
MFQ9070D1D6530	Bathnology	Class I, IP44, ta: 25°C 220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFQ1270D1D6530	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 70W, Class I, IP44, ta: 25°C
MFQ1570D1D6560	Bathnology	220-240V~ 50/60Hz LED: 60W, Mirror defogger: 70W, Class I, IP44, ta: 25°C
MFQ1870D1D6560	Bathnology	220-240V~ 50/60Hz LED: 60W, Mirror defogger: 70W, Class I, IP44, ta: 25°C
MFQ6070D2SM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 22W, Class I, IP44, ta: 25°C



For and on Behalf of SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065 and RECS accreditation under the Queensland Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and to verify this Certificate go to:





Certificate of Suitability

Model	Trade Name	Rating/Marking
MFQ7570D2SM220	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFQ9070D2SM230	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFQ1270D2SM230	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 70W, Class I, IP44, ta: 25°C
MFQ1570D2SM260	Bathnology	220-240V~ 50/60Hz LED: 60W, Mirror defogger: 70W, Class I, IP44, ta: 25°C
MFQ1870D2SM260	Bathnology	220-240V~ 50/60Hz LED: 60W, Mirror defogger: 70W,
MFQ6060R1D6515	Bathnology	Class I, IP44, ta: 25°C 220-240V~ 50/60Hz LED: 15W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MFQ7575R1D6515	Bathnology	220-240V~ 50/60Hz LED: 15W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MFQ8080R1D6520	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MFQ9090R1D6520	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFQ1010R1D6530	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C



For and on Behalf of SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065 and RECS accreditation under the Queensland Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.







A P P R O V A L S $^{\circ}$

Certificate of Suitability

Model	Trade Name	Rating/Marking
MFQ1212R1D6530	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFQ6060R1DM215	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MFQ7575R1DM215	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MFQ8080R1DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MFQ9090R1DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W,
MFQ1010R1DM230	Bathnology	Class I, IP44, ta: 25°C 220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFQ1212R1DM230	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFQ4080U1DM215	Bathnology	220-240V~ 50/60Hz LED: 15W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MFQ4590U1DM215	Bathnology	220-240V~ 50/60Hz LED: 15W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFQ5090U1DM215	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C



For and on Behalf of SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065 and RECS accreditation under the Queensland Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and to verify this Certificate go to:





Certificate of Suitability

Model MFQ5010U1DM220	Trade Name Bathnology	Rating/Marking 220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W,
MFQ6010U1DM220	Bathnology	Class I, IP44, ta: 25°C 220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFQ6011U1DM220	Bathnology	220-240V ~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFQ4080P1DM215	Bathnology	220-240V~ 50/60Hz LED: 15W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MFQ5090P1DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W,
MFQ6080P1DM220	Bathnology	Class I, IP44, ta: 25°C 220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFQ6010P1DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MFQ6012P1DM230	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MRL6070D1SM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MRL7570D1SM220	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C



For and on Behalf of SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065 and RECS accreditation under the Queensland Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and to verify this Certificate go to:





Certificate of Suitability

Model MRL9070D1SM230	Trade Name Bathnology	Rating/Marking 220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MRL1270D1SM230	Bathnology	220-240V ~ 50/60Hz LED: 30W, Mirror defogger: 70W, Class I, IP44, ta: 25°C
MRL1570D1SM260	Bathnology	220-240V~ 50/60Hz LED: 60W, Mirror defogger: 70W, Class I, IP44, ta: 25°C
MRL1870D1SM260	Bathnology	220-240V~ 50/60Hz LED: 60W, Mirror defogger: 70W, Class I, IP44, ta: 25°C
MRL6060R1D6515	Bathnology	220-240V~ 50/60Hz LED: 15W, Mirror defogger: 22W,
MRL7575R1D6520	Bathnology	Class I, IP44, ta: 25°C 220-240V~ 50/60Hz LED: 20W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MRL8080R1D6520	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MRL9090R1D6520	Bathnology	220-240V ~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MRL1010R1D6530	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MRL1212R1D6530	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C



For and on Behalf of SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065 and RECS accreditation under the Queensland Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.







Model	Trade Name	Rating/Marking
MRL6060R1DM215	Bathnology	220-240V ~ 50/60Hz LED: 20W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MRL7575R1DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MRL8080R1DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MRL9090R1DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MRL1010R1DM230	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W,
MRL1212R1DM230	Bathnology	Class I, IP44, ta: 25°C 220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MRL4080U1DM215	Bathnology	220-240V~ 50/60Hz LED: 15W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MRL4590U1DM215	Bathnology	220-240V~ 50/60Hz LED: 15W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MRL5090U1DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MRL5010U1DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C



For and on Behalf of SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065 and RECS accreditation under the Queensland Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.







Model MRL6011U1DM230	Trade Name Bathnology	Rating/Marking 220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MRL4080P1DM215	Bathnology	220-240V ~ 50/60Hz LED: 15W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MRL5090P1DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MRL6080P1DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MRL6010P1DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W,
MRL6012P1DM230	Bathnology	Class I, IP44, ta: 25°C 220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MLE6070S4D6520	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MLE7570S4D6530	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MLE9070S4D6530	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MLE1270S4D6530	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 70W, Class I, IP44, ta: 25°C



For and on Behalf of SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065 and RECS accreditation under the Queensland Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and to verify this Certificate go to:





Certificate of Suitability

Model MLE1570S4D6560	Trade Name Bathnology	Rating/Marking 220-240V~ 50/60Hz
WEE 137034D0300	Battillology	LED: 60W, Mirror defogger: 70W, Class I, IP44, ta: 25°C
MLE1870S4D6560	Bathnology	220-240V~ 50/60Hz LED: 60W, Mirror defogger: 70W, Class I, IP44, ta: 25°C
MLE6070S1DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MLE7570S4DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MLE9070S4DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W,
MLE1270S4DM230	Bathnology	Class I, IP44, ta: 25°C 220-240V~ 50/60Hz LED: 30W, Mirror defogger: 70W,
MLE1570S4DM230	Bathnology	Class I, IP44, ta: 25°C 220-240V~ 50/60Hz LED: 60W, Mirror defogger: 70W, Class I, IP44, ta: 25°C
MLE1870S4DM260	Bathnology	220-240V ~ 50/60Hz LED: 60W, Mirror defogger: 70W, Class I, IP44, ta: 25°C
MLE6075D1D6520	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MLE7575D1D6530	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C



For and on Behalf of SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065 and RECS accreditation under the Queensland Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.







Certificate of Suitability

Model	Trade Name	Rating/Marking
MLE9075D1D6530	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MLE1275D1D6530	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 70W, Class I, IP44, ta: 25°C
MLE1575S1D6560	Bathnology	220-240V~ 50/60Hz LED: 60W, Mirror defogger: 70W, Class I, IP44, ta: 25°C
MLE1875S1D6560	Bathnology	220-240V~ 50/60Hz LED: 60W, Mirror defogger: 70W, Class I, IP44, ta: 25°C
MLE6075D1DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 22W,
MLE7575D1DM330	Bathnology	Class I, IP44, ta: 25°C 220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MLE9075D1DM230	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MLE1275D1DM230	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 70W, Class I, IP44, ta: 25°C
MLE1575S1DM260	Bathnology	220-240V~ 50/60Hz LED: 60W, Mirror defogger: 70W, Class I, IP44, ta: 25°C
MLE1875S1DM260	Bathnology	220-240V~ 50/60Hz LED: 60W, Mirror defogger: 70W, Class I, IP44, ta: 25°C



For and on Behalf of SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065 and RECS accreditation under the Queensland Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.







Certificate of Suitability

Model	Trade Name	Rating/Marking
MLE1590S1DM260	Bathnology	220-240V~ 50/60Hz LED: 60W, Mirror defogger: 70W, Class I, IP44, ta: 25°C
MLE1890S1DM260	Bathnology	220-240V~ 50/60Hz LED: 60W, Mirror defogger: 70W, Class I, IP44, ta: 25°C
MLE6060R1D6515	Bathnology	220-240V~ 50/60Hz LED: 15W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MLE7575R1D6520	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MLE8080R1D6520	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 22W,
MLE9090R1D6520	Bathnology	Class I, IP44, ta: 25°C 220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MLE1010R1D6530	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MLE1212R1D6530	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MLE6060R1DM215	Bathnology	220-240V~ 50/60Hz LED: 15W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MLE7575R1DM215	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 22W, Class I, IP44, ta: 25°C



For and on Behalf of SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065 and RECS accreditation under the Queensland Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.







Certificate of Suitability

Model	Trade Name	Rating/Marking
MLE8080R1DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MLE8585R1DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MLE9090R1DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MLE1010R1DM230	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MLE1212R1DM230	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W,
MLE4080U1DM215	Bathnology	Class I, IP44, ta: 25°C 220-240V~ 50/60Hz LED: 15W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MLE4010U1DM215	Bathnology	220-240V~ 50/60Hz LED: 15W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MLE4590U1DM215	Bathnology	220-240V~ 50/60Hz LED: 15W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MLE5090U1DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MLE5095U1DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C



For and on Behalf of SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065 and RECS accreditation under the Queensland Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.







Certificate of Suitability

Model	Trade Name	Rating/Marking
MLE5010U1DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MLE6010U1DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MLE6011U1DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MLE4080U1D6515	Bathnology	220-240V~ 50/60Hz LED: 15W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MLE4010U1D6515	Bathnology	220-240V~ 50/60Hz LED: 15W, Mirror defogger: 22W,
MLE4590U1D6515	Bathnology	Class I, IP44, ta: 25°C 220-240V~ 50/60Hz LED: 15W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MLE5090U1D6520	Bathnology	220-240V ~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MLE5010U1D6520	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MLE6010U1D6520	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MLE6011U1D6520	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C



For and on Behalf of SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065 and RECS accreditation under the Queensland Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.







Certificate of Suitability

Model	Trade Name	Rating/Marking
MLE4080P1DM215	Bathnology	220-240V~ 50/60Hz LED: 15W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MLE5090P1DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MLE6080P1DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MLE6010P1DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MLE6012P1DM230	Bathnology	220-240V~ 50/60Hz LED: 22W, Mirror defogger: 35W,
MLE4080P1D6515	Bathnology	Class I, IP44, ta: 25°C 220-240V~ 50/60Hz LED: 15W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MLE5090P1D6520	Bathnology	220-240V ~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MLE6080P1D6520	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MLE6010P1D6520	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MLE6012P1D6530	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C



For and on Behalf of SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065 and RECS accreditation under the Queensland Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and to verify this Certificate go to:





Certificate of Suitability

Model	Trade Name	Rating/Marking
MLE6080D1M220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MLE9080D1M220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MLE1280D1M230	Bathnology	220-240V ~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MLE1580D1M260	Bathnology	220-240V ~ 50/60Hz LED: 60W, Mirror defogger: 70W, Class I, IP44, ta: 25°C
MLE5070O1M215	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 22W,
MLE6090O1M220	Bathnology	Class I, IP44, ta: 25°C 220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W,
MLE1265O1M230	Bathnology	Class I, IP44, ta: 25°C 220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MRD6070S1D6520	Bathnology	220-240V ~ 50/60Hz LED: 20W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MRD7570S1D6520	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MRD9070S1D6520	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C



For and on Behalf of SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065 and RECS accreditation under the Queensland Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and to verify this Certificate go to:





Certificate of Suitability

Model MRD1270S1D6530	Trade Name Bathnology	Rating/Marking 220-240V~ 50/60Hz LED: 30W, Mirror defogger: 70W, Class I, IP44, ta: 25°C
MRD1570S1D6530	Bathnology	220-240V ~ 50/60Hz LED: 60W, Mirror defogger: 70W, Class I, IP44, ta: 25°C
MRD1870S1D6560	Bathnology	220-240V~ 50/60Hz LED: 60W, Mirror defogger: 70W, Class I, IP44, ta: 25°C
MRD6070S1DM215	Bathnology	220-240V~ 50/60Hz LED: 15W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MRD6090S1DM215	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W,
MRD7570S1DM220	Bathnology	Class I, IP44, ta: 25°C 220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MRD9070S1DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MRD1270S1DM230	Bathnology	220-240V ~ 50/60Hz LED: 30W, Mirror defogger: 70W, Class I, IP44, ta: 25°C
MRD1570S1DM230	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 70W, Class I, IP44, ta: 25°C
MRD1870S1DM230	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 70W, Class I, IP44, ta: 25°C



For and on Behalf of SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065 and RECS accreditation under the Queensland Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.







Certificate of Suitability

Model MRD6075D1D6520	Trade Name Bathnology	Rating/Marking 220-240V ~ 50/60Hz
		LED: 20W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MRD7075D1D6520	Bathnology	220-240V ~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MRD9075D1D6520	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MRD1275D1D6530	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 70W, Class I, IP44, ta: 25°C
MRD1575D1D6530	Bathnology	220-240V~ 50/60Hz LED: 60W, Mirror defogger: 70W,
MRD1875D1D6560	Bathnology	Class I, IP44, ta: 25°C 220-240V~ 50/60Hz LED: 60W, Mirror defogger: 70W, Class I, IP44, ta: 25°C
MRD6075D1DM215	Bathnology	220-240V~ 50/60Hz LED: 15W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MRD7075D1DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MRD9075D1DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MRD1275D1DM230	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 70W, Class I, IP44, ta: 25°C



For and on Behalf of SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065 and RECS accreditation under the Queensland Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and to verify this Certificate go to:





Certificate of Suitability

Model	Trade Name	Rating/Marking
MRD1575D1DM230	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 70W, Class I, IP44, ta: 25°C
MRD1875D1DM230	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 70W, Class I, IP44, ta: 25°C
MRD6060R1D6515	Bathnology	220-240V~ 50/60Hz LED: 15W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MRD7575R1D6520	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MRD8080R1D6520	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 22W,
MRD9090R1D6520	Bathnology	Class I, IP44, ta: 25°C 220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MRD1010R1D6530	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MRD1212R1D6530	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MRD6060R1DM215	Bathnology	220-240V~ 50/60Hz LED: 15W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MRD7575R1DM215	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 22W, Class I, IP44, ta: 25°C



For and on Behalf of SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065 and RECS accreditation under the Queensland Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and to verify this Certificate go to:





Certificate of Suitability

Model MRD8080R1DM220	Trade Name Bathnology	Rating/Marking 220-240V~ 50/60Hz LED: 20W, Mirror defogger: 22W,
MRD8585R1DM220	Bathnology	Class I, IP44, ta: 25°C 220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MRD9090R1DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MRD1212R1DM230	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MRD4080U1DM215	Bathnology	220-240V~ 50/60Hz LED: 15W, Mirror defogger: 22W,
MRD4010U1DM215	Bathnology	Class I, IP44, ta: 25°C 220-240V~ 50/60Hz LED: 15W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MRD4590U1DM215	Bathnology	220-240V~ 50/60Hz LED: 15W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MRD5090U1DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MRD5010U1DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MRD6010U1DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C



For and on Behalf of SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065 and RECS accreditation under the Queensland Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and to verify this Certificate go to:





Certificate of Suitability

Model MRD6011U1DM220	Trade Name Bathnology	Rating/Marking 220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MRD4080U1D6515	Bathnology	220-240V ~ 50/60Hz LED: 15W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MRD4010U1D6515	Bathnology	220-240V~ 50/60Hz LED: 15W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MRD4590U1D6515	Bathnology	220-240V~ 50/60Hz LED: 15W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MRD5090U1D6520	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W,
MRD5010U1D6520	Bathnology	Class I, IP44, ta: 25°C 220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MRD6010U1D6520	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MRD6011U1D6520	Bathnology	220-240V ~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MRD4080P1DM215	Bathnology	220-240V~ 50/60Hz LED: 15W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MRD5090P1DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C



For and on Behalf of SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065 and RECS accreditation under the Queensland Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.







Certificate of Suitability

Model MRD6090P1DM220	Trade Name Bathnology	Rating/Marking 220-240V ~ 50/60Hz LED: 20W, Mirror defogger: 35W,
MRD6012P1DM230	Bathnology	Class I, IP44, ta: 25°C 220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MRD4080P1D6515	Bathnology	220-240V~ 50/60Hz LED: 15W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MRD5090P1D6520	Bathnology	220-240V ~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MRD6010P1D6520	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W,
MRD6012P1D6530	Bathnology	Class I, IP44, ta: 25°C 220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MRD8055P1M220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MRD1280D1M220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MRD8074R1M220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MRD1093R1M220	Bathnology	220-240V ~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C



For and on Behalf of SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065 and RECS accreditation under the Queensland Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and to verify this Certificate go to:





A P P R O V A L S $^{\circ}$

Certificate of Suitability

Model	Trade Name	Rating/Marking
MRD1211R1M230	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MRD5070O1M215	Bathnology	220-240V~ 50/60Hz LED: 15W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MRD6090O1M220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MRD1265O1M230	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MCC6070S1DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 22W,
MCC7570S1DM220	Bathnology	Class I, IP44, ta: 25°C 220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MCC9070S1DM220	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MCC1270S1DM230	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 70W, Class I, IP44, ta: 25°C
MCC1570S1DM230	Bathnology	220-240V~ 50/60Hz LED: 60W, Mirror defogger: 70W, Class I, IP44, ta: 25°C
MCC1870S1DM260	Bathnology	220-240V~ 50/60Hz LED: 60W, Mirror defogger: 70W, Class I, IP44, ta: 25°C



For and on Behalf of SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065 and RECS accreditation under the Queensland Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and to verify this Certificate go to:





Certificate of Suitability

Model	Trade Name	Rating/Marking
MCC6060R2DM215	Bathnology	220-240V~ 50/60Hz LED: 15W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MCC7575R2DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MCC8080R2DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MCC9090R2DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MCC1010R2DM230	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W,
MCC1212R2DM230	Bathnology	Class I, IP44, ta: 25°C 220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MCC4590U1DM215	Bathnology	220-240V~ 50/60Hz LED: 15W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MCC5090U1DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MCC5010U1DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MCC6010U1DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C



For and on Behalf of SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065 and RECS accreditation under the Queensland Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and to verify this Certificate go to:





Certificate of Suitability

Model MCC5090P1D6520	Trade Name Bathnology	Rating/Marking 220-240V~ 50/60Hz
		LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MCC6080P1D6520	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MCC6010P1D6520	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MCC6012P1D6530	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MLF6070S1SM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 22W,
MLF7570S1SM220	Bathnology	Class I, IP44, ta: 25°C 220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MLF9070S1SM220	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MLF1270S1SM230	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 70W, Class I, IP44, ta: 25°C
MLF1570S1SM230	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 70W, Class I, IP44, ta: 25°C
MLF1870S1SM260	Bathnology	220-240V~ 50/60Hz LED: 60W, Mirror defogger: 70W, Class I, IP44, ta: 25°C



For and on Behalf of SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065 and RECS accreditation under the Queensland Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and to verify this Certificate go to:

JAS-ANZ

www.jas-anz.org/register





Certificate of Suitability

Model MLF6070D1DM220	Trade Name Bathnology	Rating/Marking 220-240V~ 50/60Hz LED: 20W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MLF7570D1DM220	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MLF9070D1DM220	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MLF1270D1DM230	Bathnology	220-240V ~ 50/60Hz LED: 30W, Mirror defogger: 70W, Class I, IP44, ta: 25°C
MLF1570D1DM230	Bathnology	220-240V~ 50/60Hz LED: 60W, Mirror defogger: 70W,
MLF1870D1DM260	Bathnology	Class I, IP44, ta: 25°C 220-240V~ 50/60Hz LED: 60W, Mirror defogger: 70W,
MLF6060R1D6515	Bathnology	Class I, IP44, ta: 25°C 220-240V~ 50/60Hz LED: 15W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MLF7575R1D6520	Bathnology	220-240V ~ 50/60Hz LED: 20W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MLF8080R1D6520	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MLF9090R1D6520	Bathnology	220-240V ~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C



For and on Behalf of SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065 and RECS accreditation under the Queensland Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and to verify this Certificate go to:





Certificate of Suitability

Model	Trade Name	Rating/Marking
MLF1010R1D6530	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MLF1212R1D6530	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MLF6060R1DM215	Bathnology	220-240V~ 50/60Hz LED: 15W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MLF7575R1DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MLF8080R1DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 22W,
MLF9090R1DM220	Bathnology	Class I, IP44, ta: 25°C 220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MLF1010R1DM230	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MLF1212R1DM230	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MLF1080S3DM220	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MLF1280S3DM230	Bathnology	220-240V~ 50/60Hz LED: 30W, Mirror defogger: 35W, Class I, IP44, ta: 25°C



For and on Behalf of SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065 and RECS accreditation under the Queensland Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and to verify this Certificate go to:





Certificate of Suitability

Model	Trade Name	Rating/Marking
MLS6070S1S6515	Bathnology	220-240V~ 50/60Hz LED: 15W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MLS7570S1S6515	Bathnology	220-240V~ 50/60Hz LED: 15W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MLS9070S1S6515	Bathnology	220-240V ~ 50/60Hz LED: 15W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MLS1270S1S6515	Bathnology	220-240V ~ 50/60Hz LED: 15W, Mirror defogger: 70W, Class I, IP44, ta: 25°C
MLF6070S1SM215	Bathnology	220-240V~ 50/60Hz LED: 15W, Mirror defogger: 22W,
MLF7570S1SM215	Bathnology	Class I, IP44, ta: 25°C 220-240V~ 50/60Hz LED: 15W, Mirror defogger: 35W,
MLF9070S1SM215	Bathnology	Class I, IP44, ta: 25°C 220-240V~ 50/60Hz LED: 15W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MLF1270S1SM215	Bathnology	220-240V~ 50/60Hz LED: 15W, Mirror defogger: 70W, Class I, IP44, ta: 25°C
MLS6070D1DM215	Bathnology	220-240V~ 50/60Hz LED: 15W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MLS7570D1DM215	Bathnology	220-240V~ 50/60Hz LED: 15W, Mirror defogger: 35W, Class I, IP44, ta: 25°C



For and on Behalf of SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065 and RECS accreditation under the Queensland Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.







Certificate of Suitability

Model	Trade Name	Rating/Marking
MLS9070D1DM215	Bathnology	220-240V~ 50/60Hz LED: 15W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MLS1270D1DM215	Bathnology	220-240V~ 50/60Hz LED: 15W, Mirror defogger: 70W, Class I, IP44, ta: 25°C
MLS6070D2DM215	Bathnology	220-240V~ 50/60Hz LED: 15W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MLS7570D2DM215	Bathnology	220-240V~ 50/60Hz LED: 15W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MLS9070D2DM215	Bathnology	220-240V~ 50/60Hz LED: 15W, Mirror defogger: 35W,
MLS1270D2DM215	Bathnology	Class I, IP44, ta: 25°C 220-240V~ 50/60Hz LED: 15W, Mirror defogger: 70W, Class I, IP44, ta: 25°C
MTD6070S0S6515	Bathnology	220-240V~ 50/60Hz LED: 15W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MTD7570S0S6515	Bathnology	220-240V~ 50/60Hz LED: 15W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MTD9070S0S6515	Bathnology	220-240V~ 50/60Hz LED: 15W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MTD1270S0S6515	Bathnology	220-240V~ 50/60Hz LED: 15W, Mirror defogger: 70W, Class I, IP44, ta: 25°C



For and on Behalf of SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065 and RECS accreditation under the Queensland Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.







Certificate of Suitability

Model	Trade Name	Rating/Marking
MTD4570S1SM215	Bathnology	220-240V~ 50/60Hz LED: 15W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MTD6070S1SM215	Bathnology	220-240V~ 50/60Hz LED: 15W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MTD7570S1SM215	Bathnology	220-240V~ 50/60Hz LED: 15W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MTD9070S1SM215	Bathnology	220-240V~ 50/60Hz LED: 15W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MTD1270S1SM215	Bathnology	220-240V~ 50/60Hz LED: 15W, Mirror defogger: 70W,
MTD6070S3SM215	Bathnology	Class I, IP44, ta: 25°C 220-240V~ 50/60Hz LED: 15W, Mirror defogger: 22W, Class I, IP44, ta: 25°C
MTD7570S3SM215	Bathnology	220-240V~ 50/60Hz LED: 15W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MTD9070S3SM215	Bathnology	220-240V~ 50/60Hz LED: 15W, Mirror defogger: 35W, Class I, IP44, ta: 25°C
MTD1270S3SM215	Bathnology	220-240V~ 50/60Hz LED: 15W, Mirror defogger: 70W, Class I, IP44, ta: 25°C
MLE1880S2FM130	Bathnology	220-240V~ 50/60Hz LED: 20W, Mirror defogger: 70W, Class I, IP44, ta: 25°C



For and on Behalf of SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065 and RECS accreditation under the Queensland Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and to verify this Certificate go to:

